Indiana Supplement to Millennium Edition National Manual on Uniform Traffic Control Devices, with December, 2001 Revisions – For Chapter 2C Page 1 of 4

Between Pages 2C-2 & 2C-3, Add A New Page 2C-2A Table listing Indiana only signs section C (8 signs noted)

Page 2C-2A

Indiana Additional Warning Signs

Category	Group	Section	Signs	MUTCD Codes
Traffic Related	Intersections	2C.34	Watch for LEFT TURN	W2-Y7
Roadway Related	Roadway Surface Condition	2C.25	High Water	W8-Y7
Roadway Related	Roadway Surface Condition	2C.25	Watch for ICE on Bridges	W8-Y8
Non Vehicular	Crossings	2C.36	Horse and Buggy	W11-Y11
Traffic Related	Motorized Traffic	2C.36	XXX Entrance	W11-Y12
Traffic Related	Motorized Traffic	2C.36	Hidden Drive	W11-Y13
Non Vehicular	Crossings	2C.38	Church	W15-Y2
Non Vehicular	Crossings	2C.38	Hospital	W15-Y3

Page 2C-18, Section 2C.20, Line 9

less than 300 mm (12 in) above the statutory maximum vehicle height (13'-6") or minimum

Page 2C-22, Section 2C.25, Line 1

Section 2C-25 Slippery When Wet Adverse Weather Signs (W8-5, W8-Y7, W8-Y8)

Page 2C-22, Section 2C.25, Between lines 4 & 5

The High Water (W8-Y7) sign may be used to warn motorists of high water covering a roadway surface which is passable. It is only intended for temporary use and should be removed or covered when the hazard no longer exists.

Page 2C-22, Section 2C.25, Between lines 8 & 9 Support:

The WATCH FOR ICE ON BRIDGES (W8-Y8) sign provides a general warning to motorists that under certain conditions, ice may form on bridge floors before it forms on the adjacent roadway.

Guidance:

The WATCH FOR ICE ON BRIDGES sign should be placed such that motorists' association of the sign to a specific bridge is minimized.

Option:

An additional sign may be used in advance of a specific bridge where engineering investigation and icing related accident history indicates an extraordinary icing condition may exist, as compared to other bridges along the roadway.

Indiana Supplement to Millennium Edition National Manual on Uniform Traffic Control Devices, with December, 2001 Revisions – For Chapter 2C Page 2 of 4

Page 2C-23, Section 2C.27, Line 19

In situations where this plaque is used to regulate traffic, tThe W4-4P plaque may be installed

Page 2C-23, Section 2C.27, Line 22

If the W4-4P plaque is <u>used to regulate traffic, it should be</u> installed on the same post as the STOP sign, then and the color of

Page 2C-28, Section 2C.34, Line 10

Section 2C.34 Intersection warning Signs (W2-1 through W2-6 and W2-Y7)

Page 2C-28, Section 2C.34, Line 12

A Cross Road (W2-1), Side Road (W2-2 or W2-3), T-Symbol (W2-4), or Y-Symbol (W2-5), or Watch For Left Turn (W2-Y7)

Page 2C-28, Section 2C.34, Between lines 18 & 19

The Watch For Left Turn (W2-Y7) sign may be used to warn motorists of a location where heavy left turn movements are present.

Page 2C-28, Section 2C.34, Line 22

The Intersection sign, except for the Watch For Left Turn sign, should illustrate and depict the general configuration of the

Page 2C-28, Section 2C.34, Between lines 27 & 28

The Watch For Left Turn (W2-Y7) sign should not be used in conjunction with any of the W2-1 through W2-6 signs. The W2-Y7 sign should be used on a limited basis and only after a field investigation reveals the need.

Page 2C-30, Section 2C.36, Line 1

Section 2C.36 <u>Motorized Vehicular</u> Traffic Signs (W8-6, W11-5, W11-8, W11-10, <u>W11-Y11, W11-Y12, W11-Y13</u>)

Page 2C-30, Section 2C.36, Lines 3 & 4

Motorized Vehicular Traffic (W8-6, W11-5, W11-8, W11-10, W11-Y11, W11-Y12, W11-Y13) signs may be used to alert road users to locations where unexpected entries into the roadway by trucks, farm vehicles, horse and buggy, emergency

Indiana Supplement to Millennium Edition National Manual on Uniform Traffic Control Devices, with December, 2001 Revisions – For Chapter 2C Page 3 of 4

Page 2C-30, Section 2C.36, Between lines 5 & 6

The XXX Entrance (W11-Y12) sign may be used in advance of major traffic generators only where the generator is immediately adjacent to the highway. Entrances such as: Truck, Park, Factory, Theater and Cemetery, etc. are approved for use only after a field investigation reveals a definite need. These names, or any other deemed necessary, should be inserted on the first line. Care is to be exercised by limiting the use of these signs.

The HIDDEN DRIVE (W11-Y13) sign may be used to warn motorists of a location where movements are obstructed, or partially obstructed, to traffic on the roadway. It is intended for use on a limited basis and only after a field investigation reveals the need.

Page 2C-30, Section 2C.36, Line 10

Motorized Vehicular Traffic signs should be used only at locations where the road user's sight

Page 2C-30, Section 2C.36, Line 12

If the condition is seasonal or temporary, the Motorized Vehicular Traffic sign

Page 2C-30, Section 2C.36, Line 16

FEET), or NEXT XX KILOMETERS (NEXT XX MILES) may be mounted below Motorized Vehicular

Page 2C-32, Section 2C.38, Line 26


Section 2C.38 Playground Adjacent Facility Sign (W15-1, W15-Y2, W15-Y3)

Page 2C-32, Section 2C.38, Lines 28 through 30

The Playground Adjacent Facility (W15-1, W15-Y2, W15-Y3) sign may be used to give advance warning of a designated children's playground facility that is located adjacent to the road. The Playground (W15-1) sign may have a florescent yellow-green background with a black legend and border.

Between Pages 2C-33 & 2C-34, Add A New Page 2C-33A INDIANA ADDITIONAL WARNING SIGNS (Depiction)

Page 2C-33A



Page 2C-34, Section 2C.38, Line 2
If the access to the playground designated area requires a roadway crossing, the application of